

2002-2012 Fork Oil Volume Sheet

Fork Models		Oil	Location	Volume [mL]
1)	2002-2006 F80 (O/B R, RL & RLT dampers)	FOX Green 10 wt.	Damper-side oil bath	150.0
			Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
2)	2003-2006 F80 (O/B X damper)	FOX 7 wt.	Damper-side oil bath	150.0
			Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
3)	2007-2009 F80 R (O/B R damper)		Damper-side oil bath	150.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
4)	2007-2009 F80 (O/B RL, RLC & Remote dampers)		Damper-side oil bath	150.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
5)	2010-2012 F80 (FIT RL, RLC & Remote dampers)	FOX Red 10 wt.	Damper	24.0
			Damper-side oil bath	20.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	10.0
6)	2010-2012 F80 & ALPS (O/B R, RL & Remote dampers)		Damper-side oil bath	150.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	10.0
7)	2011-2012 F80 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	46.5
			Damper-side oil bath	20.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	10.0
8)	2002-2009 F100 & F90 dampers)		Damper-side oil bath	155.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
9)	2003-2006 F100 & F90 (O/B X damper)		Damper-side oil bath	155.0
		FOX 7 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
10)	2010-2012 F90 (FIT RL, RLC & Remote dampers)	FOX Red 10 wt.	Damper	27.2
		FOX Green 10 wt.	Damper-side oil bath	20.0
			Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
11)	2010-2012 F100 (FIT RL, RLC & Remote dampers)	FOX Red 10 wt.	Damper	27.2
			Damper-side oil bath	20.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
12)	2010-2012 "831" (FIT RLC damper)	FOX Red 10 wt.	Damper	27.2
			Damper-side oil bath	20.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
13)	2010-2012 F100, F90 & ALPS (O/B RL & Remote dampers)		Damper-side oil bath	155.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
14)	2011-2012 F100 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	50.2
			Damper-side oil bath	20.0
		FOX Green 10 wt.	Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
2008-2009 F29 100 & 80			Damper-side oil bath	160.0

15)	(O/B RL, RLC & Remote dampers)	FOX Green 10 wt.	bath	30.0
		FOX Float Fluid	Air Chamber	5.0
16)	2010-2012 F29 100 & 80 (FIT RL & RLC dampers)	FOX Red 10 wt.	Damper	33.6
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
17)	2010-2012 F29 100, 80 & ALPS (O/B RL & Remote dampers)		Damper-side oil bath	160.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
18)	2011-2012 F29 80 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	52.1
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
19)	2011-2012 F29 100 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	55.9
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
20)	2009 F29 120 (O/B RL & RLC dampers)		Damper-side oil bath	165.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
21)	2010-2012 F29 120 (FIT RL & RLC dampers)	FOX Red 10 wt.	Damper	35.2
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
22)	2010-2012 F29 120 & ALPS (O/B RL & Remote dampers)		Damper-side oil bath	165.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
23)	2011-2012 F29 120 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	59.7
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
24)	2011-2012 TALAS 29 120 (O/B RL damper)		Damper-side oil bath	165.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
25)	2011-2012 TALAS 29 120 (FIT RLC damper)	FOX Red 10 wt.	Damper	35.2
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
26)	2011-2012 TALAS 29 120 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	59.7
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
27)	2005-2012 FLOAT & ALPS 120, 130 (O/B R, RL & RLC dampers)		Damper-side oil bath	160.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
28)	2007-2009 F120, FLOAT 130 & 140 (O/B Remote dampers)		Damper-side oil bath	160.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
	2010-2012 F120	FOX Red 10 wt.	Damper	30.4

29)	(FIT RL, RLC & Remote dampers)		Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
30)	2011-2012 F120 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	54.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
31)	2006 FLOAT 130 XTT (O/B Trail-tune damper)	FOX Float Fluid	Air Chamber	5.0
		FOX 7 wt.	Damper-side oil bath	135.0
			Spring-side oil bath	30.0
32)	2010-2012 FLOAT 130 & 140 (FIT RL & RLC dampers)	FOX Float Fluid	Air Chamber	5.0
		FOX Red 10 wt.	Damper	33.6
			Damper-side oil bath	30.0
33)	2010-2012 FLOAT 150 (FIT RL & RLC dampers)	FOX Green 10 wt.	Spring-side oil bath	30.0
			Damper-side oil bath	30.0
		FOX Red 10 wt.	Damper	35.2
34)	2010-2012 FLOAT & ALPS 150 (O/B RL & RLC dampers)	FOX Float Fluid	Air Chamber	5.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
			Damper-side oil bath	165.0
35)	2003-2006 TALAS 125 & 130 (O/B R, RL & RLC dampers)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	5.0
			IFP Chamber	3.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	160.0
36)	2006 TALAS 130 XTT (O/B R, RL & RLC dampers)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	5.0
			IFP Chamber	3.0
		FOX 7 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	135.0
37)	2007-2008 TALAS 130 & 140 (O/B R, RL & RLC dampers)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	5.0
			IFP Chamber	3.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	160.0
38)	2009 TALAS 140 (O/B R, RL & RLC dampers)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	3.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	160.0
39)	2010-2012 TALAS 140 (FIT RL & RLC dampers)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	3.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	30.0
		FOX Red 10 wt.	Damper	33.6
40)	2010-2012 TALAS 140 (O/B R & RL dampers)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	3.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	160.0
41)	2011-2012 TALAS 140 (FIT Terralogic damper)	FOX Float Fluid	Negative Chamber	3.0
			Main Chamber	3.0
		FOX Green 10 wt.	Spring-side oil bath	10.0
			Damper-side oil bath	30.0
		FOX Red 10 wt.	Damper	57.8
			Damper-side oil bath	30.0

42)	2009-2012 TALAS 150 (O/B R, RL & RLC dampers)	FOX Green 10 wt.	Damper-side oil bath	165.0
			Spring-side oil bath	10.0
		FOX Float Fluid	Main Chamber	3.0
			Negative Chamber	3.0
43)	2010-2012 TALAS 150 (FIT RL & RLC dampers)	FOX Red 10 wt.	Damper	35.2
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	10.0
		FOX Float Fluid	Main Chamber	3.0
44)	2011-2012 TALAS 150 (FIT Terralogic damper)	FOX Red 10 wt.	Damper	59.7
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	10.0
		FOX Float Fluid	Main Chamber	3.0
45)	2002-2006 Vanilla 100 & 130 (O/B R, RL & RLC dampers)	FOX Green 10 wt.	Damper-side oil bath	160.0
			Spring-side oil bath	30.0
46)	2007-2010 Vanilla 140 (O/B R, RL & RLC dampers)	FOX Green 10 wt.	Damper-side oil bath	160.0
			Spring-side oil bath	30.0
47)	2010 Vanilla 140 (FIT RL & RLC dampers)	FOX Red 10 wt.	Damper	35.2
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
48)	2012 34 Float 29" 140 (O/B RL damper)	FOX Green 10 wt.	Damper-side oil bath	165.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Main Chamber	3.0
			Negative Chamber	3.0
49)	2013 32 Float 26" 80-100 (O/C CTD damper)	FOX Red 10 wt.	Damper	63.0
		FOX Green 10 wt.	Damper-side oil bath	20.0
			Spring-side oil bath	20.0
		FOX Float Fluid	Air Chamber	5.0
50)	2013 32 Float 26" 120 (O/C CTD damper)	FOX Red 10 wt.	Damper	70.0
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
51)	2013 32 Float 26" 130 (O/C CTD damper)	FOX Red 10 wt.	Damper	74.0
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
52)	2013 32 Float 26" 140-150 (O/C CTD damper)	FOX Red 10 wt.	Damper	83.0
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
53)	2013 32 Float 29" 80-100 (O/C CTD damper)	FOX Red 10 wt.	Damper	74.0
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
54)	2013 32 Float 29" 120-130 (O/C CTD damper)	FOX Red 10 wt.	Damper	86.0
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
55)	2012-2013 34 Float 29" 140-150 (FIT: CTD, RLC, RL, Remote damper)	FOX Red 10 wt.	Damper	35.2
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
56)	2013 34 Float 29" 130-150 (O/C CTD damper)	FOX Red 10 wt.	Damper	103.0
		FOX Green 10 wt.	Damper-side oil bath	30.0
			Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
57)	2013 34 26" Float 150-160 (FIT CTD damper)	FOX Red 10 wt.	Damper	35.2
		FOX Green 10 wt.	Damper-side oil bath	30.0

58)	2013 34 26" 150-160; 27.5" (650b) (O/C CTD damper)	FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
		FOX Red 10 wt.	Damper	87.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
59)	2013 34 26", 27.5" (650b) TALAS 160 (FIT CTD damper)	FOX Float Fluid	Air Chamber	5.0
		FOX Red 10 wt.	Damper	35.2
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
60)	2012-2013 34 TALAS 29 140-150 (FIT: CTD, RLC, RL, Remote &	FOX Float Fluid	Negative Chamber	3.0
		FOX Red 10 wt.	Damper	35.2
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
61)	2012 34 TALAS 29 140 (O/B RL damper)	FOX Float Fluid	Negative Chamber	3.0
			Damper-side oil bath	165.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
62)	2005-2008 36 TALAS 150 & 160 (FIT R, RC2 dampers)	FOX Red 10 wt.	Damper	100.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			IFP Chamber	3.0
			Main Chamber	5.0
63)	2009 36 TALAS 160 (FIT R, RC2 dampers)	FOX Float Fluid	Negative Chamber	3.0
		FOX Red 10 wt.	Damper	100.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
64)	2010 & 2013 36 TALAS 160 (FIT RC2 damper)	FOX Float Fluid	Negative Chamber	3.0
		FOX Red 10 wt.	Damper	100.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
65)	2010-2013 36 TALAS 160 (O/B R damper)	FOX Float Fluid	Negative Chamber	3.0
			Damper-side oil bath	155.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
66)	2011-2012 36 TALAS 160 (FIT RLC damper)	FOX Red 10 wt.	Damper	36.8
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
67)	2007-2009 36 FLOAT 160 (FIT R, RC2 dampers)	FOX Red 10 wt.	Damper	100.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
68)	2010 36 FLOAT 160 (FIT RC2 damper)	FOX Red 10 wt.	Damper	100.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
69)	2011-2012 36 FLOAT 160 (FIT RLC damper)	FOX Red 10 wt.	Damper	36.8
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0

		FOX Float Fluid	Air Chamber	5.0
70)	2013 36 FLOAT 160 (FIT RC2 damper)	FOX Red 10 wt.	Damper	69.2
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
71)	2010-2013 36 FLOAT 160, 130 & 100 (O/B R damper)		Damper-side oil bath	155.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
		FOX Float Fluid	Air Chamber	5.0
72)	2006-2010 36 VAN 160 (FIT R & RC2 dampers)	FOX Red 10 wt.	Damper	100.0
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
73)	2011-2013 36 VAN 160 (O/B R damper)		Damper-side oil bath	155.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
74)	2011-2013 36 VAN 160 (O/B R damper EUR)		Damper-side oil bath	180.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
75)	2011-2013 36 VAN 160 (FIT RC2 damper)	FOX Red 10 wt.	Damper	69.2
			Damper-side oil bath	30.0
		FOX Green 10 wt.	Spring-side oil bath	30.0
76)	2011-2013 36 TALAS 170 & 180 (FIT RC2 damper)	FOX Red 10 wt.	Damper	66.9
			Damper-side oil bath	40.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
77)	2011-2013 36 TALAS 170 & 180 (O/B R damper)		Damper-side oil bath	160.0
		FOX Green 10 wt.	Spring-side oil bath	15.0
			Main Chamber	3.0
		FOX Float Fluid	Negative Chamber	3.0
78)	2011-2013 36 FLOAT 170 & 180 (FIT RC2 damper)	FOX Red 10 wt.	Damper	66.9
			Damper-side oil bath	40.0
		FOX Green 10 wt.	Spring-side oil bath	40.0
		FOX Float Fluid	Air Chamber	5.0
79)	2011-2013 36 FLOAT 170 & 180 (O/B R damper)		Damper-side oil bath	160.0
		FOX Green 10 wt.	Spring-side oil bath	40.0
		FOX Float Fluid	Air Chamber	5.0
80)	2011-2013 36 VAN 170 & 180 (FIT RC2 damper)	FOX Red 10 wt.	Damper	73.0
			Damper-side oil bath	40.0
		FOX Green 10 wt.	Spring-side oil bath	40.0
81)	2011-2013 36 VAN 170 & 180 (O/B R damper)		Damper-side oil bath	160.0
		FOX Green 10 wt.	Spring-side oil bath	40.0
82)	2011-2013 36 VAN 170 & 180 (O/B R damper EUR)		Damper-side oil bath	220.0
		FOX Green 10 wt.	Spring-side oil bath	40.0
83)	2005-2009 40 (FIT R & RC2 dampers)	FOX Red 10 wt.	Damper	122.0
			Damper-side oil bath	50.0
		FOX Green 10 wt.	Spring-side oil bath	50.0
84)	2010 40 (FIT RC2 damper)	FOX Red 10 wt.	Damper	122.0
			Damper-side oil bath	50.0
		FOX Green 10 wt.	Spring-side oil bath	50.0
85)	2011-2013 40 (FIT RC2 damper)	FOX Red 10 wt.	Damper	78.5
			Damper-side oil bath	50.0
		FOX Green 10 wt.	Spring-side oil bath	50.0
86)	2013 40 R (O/B R damper)		Damper-side oil bath	250.0
		FOX Green 10 wt.	Spring-side oil bath	50.0